Busbar clamps, C2 type

FEATURES & BENEFITS

V

new, upgraded design of popular C-type terminals.

V

pressing plate facilitating terminal pre-fitting on the busbars

M

clamps for direct mounting on 5 or 10 mm thick busbars

V

cables with multi-wire conductors can be connected directly

LOGISTIC DATA

Quantity in package [pcs]

12


APPLICATION

Connecting cables to busbars in LV switchboards.

MECHANICAL DATA

Material galvanized steel





Туре	Index Ergom	Tightening torque [Nm]	Cross-section [mm²]	Rated busbar thickness [mm]	н	L	s
C2-5/16 (12 PCS)	R32RZ-03040101103	3	1,5÷16	5	26	22	12
C2-5/35 (12 PCS)	R32RZ-03040101203	6÷8	4÷35	5	31	29	16
C2-5/70 (12 PCS)	R32RZ-03040101303	10÷12	16÷70	5	39	31	21
C2-5/120 (12 PCS)	R32RZ-03040101403	12÷15	16÷120	5	44	34	24
C2-5/185 (12 PCS)	R32RZ-03040101503	12÷15	50÷185	5	55	35	29
C2-10/16 (12 PCS)	R32RZ-03040101603	3	1,5÷16	10	31	22	12
C2-10/35 (12 PCS)	R32RZ-03040101703	6÷8	4÷35	10	37	29	16
C2-10/70 (12 PCS)	R32RZ-03040101803	10÷12	16÷70	10	43	31	21
C2-10/120 (12 PCS)	R32RZ-03040101903	12÷15	16÷120	10	48	34	24
C2-10/185 (12 PCS)	R32RZ-03040102003	12÷15	50÷185	10	55	35	29